
TREBUTE®

SENIORITY[™] PELLETED

A lower NSC pelleted complete feed designed for mature horses.

PRODUCT CODE: T912HFP

- No Corn Formula.
- Highly digestible fiber supports calmer performances without loss of energy or condition. May be used for total forage
- Optimal balance of essential amino acids support muscle maintenance.
- Organic minerals support normal tissue maintenance in aging
- Essential fatty acids, Omega 3 and 6, for healthy skin and hair coat and support of normal tissue function.
- Optimum levels of antioxidants Vitamin E, Vitamin C and Selenium may help in reducing damage from aging and exercise. Also supports immune health.



FEEDING DIRECTIONS:

Training Level	Seniority TM
	lb per day
Mature Weight: 660-880 lb	
Idle	3 - 6
Light Training	4 - 7
Moderate Training	5 - 9
Intense Training	6 - 10
Mature Weight: 880-1,100 lb	
Idle	4 - 8
Light Training	5 - 10
Moderate Training	6 - 12
Intense Training	7 - 14
Mature Weight: 1,100-1,300 lb	
Idle	5 - 10
Light Training	6 - 12
Moderate Training	7 - 14
Intense Training	8 - 16

SeniorityTM can be used as a complete feed when hay is in short supply or unavailable. May feed up to 20 lb per day of SeniorityTM, but divide into at least 4 feedings per day.

GUARANTEED ANALYSIS:

Crude Protein (Min.)	
Lysine (Min.)	
Methionine (Min.)	
Methionine & Cystine (Min.)	
Threonine (Min.)	
Crude Fat (Min.)	
Crude Fiber (Max.)	
Calcium (Ca) (Min.)	0.80%
Calcium (Ca) (Max.)	1.00%
Phosphorus (P) (Min.)	0.50%
Salt (NaCl) (Min.)	0.50%
Salt (NaCl) (Max.)	1.00%
Potassium (K) (Min.)	1.20%
Magnesium (Mg) (Min.)	0.30%
Copper (Cu) Min)	40 ppm
Zinc (Zn) (Min.)	170 ppm
Manganese (Mn) (Min.)	130 ppm
Cobalt (Co) (Min.)	0.9 ppm
Iron (Fe) (Min.)	375 ppm
Iodine (I) (Min.)	1.1 ppm
Selenium (Se) (Min.)	0.6 ppm
Vitamin A (Min.)	7,000 IU/lb
Vitamin D (Min.)	360 IU/lb
Vitamin E (Min.)	100 IU/lb
Vitamin C (Min.)	34 mg/lb
Biotin (Min.)	0.1 mg/lb
Thiamine (Min.)	10 mg/lb
Riboflavin (Min.)	7 mg/lb
Omega 6 fatty acids (Min.)	2.50%
Omega 3 fatty acids (Min.)	0.30%
Saccharomyces cerevisiae (Min.)	350 million CFU/lb
Direct-Fed Microorganisms (Min.)	
Cellulase (Aspergillus Oryzae) (Min)	
Protease (Aspergillus Oryzae) (Min)	12 Enzyme Units
Lipase (Aspergillus Oryzae) (Min)	
Hemicellulase (Aspergillus Niger) (Min)	
Phytase (Trichoderma reesei) (Min)	
NSC (non-structural carbohydrates = sugar + starch) (Max.)	18.00%
• • • • • • • • • • • • • • • • • • • •	

*(Saccharomyces cerevisiae, Lactobacillus acidophilus, Bacillus subtilus, Bacillus linchenformis, Bacillus coagulans, Enterococcus faecium, Bifidobacterium thermophilum, and Bifidobacterium longum)

This feed contains a dry source of cellulase that breaks down cellulose, a dry source of protease that hydrolyzes proteins and increases the digestibility of protein in soybean meal based diets, a dry source of lipase that hydrolyzes triglycerides, a dry source of hemicellulase that breaks down hemicellulose, and a dry source of phytase which hydrolyzes phytate and increases the digestibility of phytin-bound phosphorous.

INGREDIENTS:

Dehulled Soybean Meal, Dehydrated Alfalfa Meal, Wheat Middlings, Shredded Beet Pulp, Soybean Hulls, Ground Limestone, Rice Bran, Cane Molasses, Magnesium Oxide, Soybean Oil, Sodium Bicarbonate, Salt, DL-Methionine, L-Lysine, L-Threonine, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Active Dry Yeast, Yeast Culture, Brewers Dried Yeast, Choline Chloride, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Beta-Carotene, Riboflavin Supplement, Niacin, Calcium Pantothenate, Thiamin Mononitrate, Folic Acid, Pyridoxine Hydrochloride, Biotin, Vitamin B-12 Supplement, Esters of L-Ascorbic Acid, Lignin Sulfonate, Calcium Citrate, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Cobalt Sulfate, Sodium Selenite, Ethylenediamine Dihydriodide, Dried Lactobacillus acidophilus Fermentation Product, Dried Aspergillus Oryzae Fermentation Extract, Yucca Schidigera Extract, Dried Aspergillus Niger Fermentation Extract, Kelp Meal, Dried Bacillus subtilis Fermentation Product, Dried Bacillus lichenformis Fermentation Product, Dried Bacillus coagulans Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Bifidobacterium longum Fermentation Product, Dried Trichoderma reesei Extract, Zinc Amino Acid Complex, Copper Amino Acid Complex, Mangan Amino Acid Complex, Iron Amino Acid Complex, Cobalt Glucoheptonate, Propionic Acid (as preservative), Natural and Artificial Flavors, and Selenium Yeast.

^{*}An Enzyme Unit is defined as milligrams of substrate liberated/minute/lb. of feed.

^{*}An Enzyme Unit is defined as milligrams of substrate liberated/minute/lb. of feed.

*A Phytase Unit (FTU) is defined as the quantity of enzyme which liberates one micromole of inorganic phosphate per minute from sodium phytate at 37°C, 5.5 pH.